

100% EPA Comprehensive Procurement Guideline Compliant

	PRODUCT CODE		COLOR	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POSTCONSUMER RECYCLED CONTENT*
1	PC	07 LW BK	BK	22	25	0.30	7.6	50	20	1000	7-10	36	24	72	11.0	30
2	PC	07 LW N	N	22	25	0.30	7.6	50	20	1000	7-10	36	24	72	11.0	30
3	PC	07 XH BK	BK	22	25	0.45	11.4	50	10	500	7-10	44	34	105	8.3	30
4	PC	07 XH N	N	22	25	0.45	11.4	50	10	500	7-10	44	34	105	8.3	30
5	PC	10 LW BK	BK	23	31	0.30	7.6	50	20	1000	12-16	37	24	72	14.3	30
6	PC	10 LW N	N	23	31	0.30	7.6	50	20	1000	12-16	37	24	72	14.3	30
7	PC	10 XH BK	BK	23	31	0.45	11.4	50	10	500	12-16	45	33	105	10.7	30
8	PC	10 XH N	N	23	31	0.45	11.4	50	10	500	12-16	45	33	105	10.7	30
9	PC	24 LW BK	BK	24	24	0.30	7.6	50	20	1000	7-10	36	24	72	11.5	30
10	PC	24 LW N	N	24	24	0.30	7.6	50	20	1000	7-10	36	24	72	11.5	30
11	PC	32 LW BK	BK	24	32	0.30	7.6	50	20	1000	12-16	36	28	72	15.4	30
12	PC	32 LW N	N	24	32	0.30	7.6	50	20	1000	12-16	36	28	72	15.4	30
13	PC	SJ HR BK	BK	28	45	0.58	14.7	25	10	250	Slim Jim®	55	36	105	12.2	70
14	PC	SJ HR N	N	28	45	0.58	14.7	25	10	250	Slim Jim®	55	36	105	12.2	70
15	PC	SJ XH BK	BK	28	45	0.70	17.8	25	10	250	Slim Jim®	64	52	72	14.7	70
16	PC	SJ XH N	N	28	45	0.70	17.8	25	10	250	Slim Jim®	64	52	72	14.7	70
17	PC	36 LW BK	BK	30	36	0.30	7.6	25	20	500	20-30	36	30	105	10.8	30
18	PC	36 LW N	N	30	36	0.30	7.6	25	20	500	20-30	36	30	105	10.8	35
19	PC	36 LR BK	BK	30	36	0.35	8.9	25	10	250	20-30	36	30	105	6.3	30
20	PC	36 LR N	N	30	36	0.35	8.9	25	10	250	20-30	36	30	105	6.3	30
21	PC	36 MR BK	BK	30	36	0.45	11.4	25	10	250	20-30	46	31	105	8.1	30
22	PC	36 MR N	N	30	36	0.45	11.4	25	10	250	20-30	46	31	105	8.1	30
23	PC	36 HR BK	BK	30	36	0.59	15.0	25	10	250	20-30	55	41	105	10.6	70
24	PC	36 HR N	N	30	36	0.59	15.0	25	10	250	20-30	55	41	105	10.6	70
25	PC	36 XH BK	BK	30	36	0.70	17.8	25	8	200	20-30	73	53	105	10.1	70
26	PC	36 XH N	N	30	36	0.70	17.8	25	8	200	20-30	73	53	105	10.1	70
27	PC	43 HR BK	BK	30	43	0.59	15.0	25	10	250	Slim Jim® w/ handles	59	43	105	12.7	70
28	PC	43 HR N	N	30	43	0.59	15.0	25	10	250	Slim Jim® w/ handles	59	43	105	12.7	70
29	PC	39 MR BK	BK	33	39	0.45	11.4	25	10	250	32-33	46	31	105	9.7	30
30	PC	39 MR N	N	33	39	0.45	11.4	25	10	250	32-33	46	31	105	9.7	30
31	PC	39 HR BK	BK	33	39	0.59	15.0	25	10	250	32-33	59	44	72	12.7	70
32	PC	39 HR N	N	33	39	0.59	15.0	25	10	250	32-33	59	44	72	12.7	70
33	PC	39 XH BK	BK	33	39	0.70	17.8	25	6	150	32-33	73	54	105	9.0	70
34	PC	39 XH N	N	33	39	0.70	17.8	25	6	150	32-33	73	54	105	9.0	70
35	PC	44 MR BK	BK	36	47	0.45	11.4	25	10	250	44 Brute®	46	34	105	12.7	30
36	PC	44 MR N	N	36	47	0.45	11.4	25	10	250	44 Brute®	46	34	105	12.7	30
37	PC	44 HR BK	BK	36	47	0.59	15.0	25	10	250	44 Brute®	59	47	72	16.6	70
38	PC	44 HR N	N	36	47	0.59	15.0	25	10	250	44 Brute®	59	45	72	16.6	70
39	PC	44 XH BK	BK	36	47	0.70	17.8	25	8	200	44 Brute®	73	55	105	15.8	70
40	PC	44 XH N	N	36	47	0.70	17.8	25	8	200	44 Brute®	73	55	105	15.8	70
41	PC	46 MR BK	BK	40	46	0.45	11.4	25	10	250	40-45	55	37	72	13.8	30
42	PC	46 MR N	N	40	46	0.45	11.4	25	10	250	40-45	55	37	72	13.8	30

LW Light waste • LR Light refuse • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse
 • N Natural with contact clarity • BK Black

continued ...

100% EPA Comprehensive Procurement Guideline Compliant

	PRODUCT CODE		COLOR	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POSTCONSUMER RECYCLED CONTENT*	
43	PC	46	HR	BK	40	46	0.59	15.0	25	10	250	40-45	64	52	72	18.1	70
44	PC	46	HR	N	40	46	0.59	15.0	25	10	250	40-45	64	52	72	18.1	70
45	PC	46	XH	BK	40	46	0.70	17.8	25	4	100	40-45	72	56	105	8.6	70
46	PC	46	XH	N	40	46	0.70	17.8	25	4	100	40-45	72	56	105	8.6	70
47	PC	47	HR	BK	43	47	0.59	15.0	25	8	200	Glutton®	71	57	72	15.9	70
48	PC	47	HR	N	43	47	0.59	15.0	25	8	200	Glutton®	71	57	72	15.9	70
49	PC	47	XH	BK	43	47	0.70	17.8	25	4	100	Glutton®	78	58	105	9.4	70
50	PC	47	XH	N	43	47	0.70	17.8	25	4	100	Glutton®	78	58	105	9.4	70
51	PC	55	XH	BK	41	52	0.70	17.8	25	4	100	55 Brute®	74	58	105	9.9	70
52	PC	55	XH	N	41	52	0.70	17.8	25	4	100	55 Brute®	74	55	105	9.9	70
53	PC	58	HR	BK	38	58	0.59	15.0	25	8	200	60	71	57	56	17.3	70
54	PC	58	HR	N	38	58	0.59	15.0	25	8	200	60	71	57	56	17.3	70
55	PC	58	XH	BK	38	58	0.70	17.8	25	4	100	60	74	56	105	10.3	70
56	PC	58	XH	N	38	58	0.70	17.8	25	4	100	60	74	56	105	10.3	70
57	PC	BB	XH	N	45	50	2.00	50.8	5	10	50	Bigbelly	200	160	72	15.0	70

All items listed are ECOLOGO certified



PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL

UL126

LW Light waste • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse • N Natural with contact clarity • BK Black
*Targeted Percentages

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid

100% EPA Comprehensive Procurement Guideline Compliant

	PRODUCT CODE		COLOR	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POSTCONSUMER RECYCLED CONTENT*	
1	PC	24	XP	BK	24	24	0.85	21.6	25	20	500	7-10	74	52	72	16.3	70
2	PC	32	XP	BK	24	32	0.85	21.6	25	20	500	12-16	79	66	56	21.8	70
3	PC	36	XP	BK	30	36	0.90	22.9	25	8	200	20-30	73	63	105	13.0	70
4	PC	39	XP	BK	33	39	0.90	22.9	25	6	150	32-33	78	64	105	11.6	70
5	PC	39	XP	N	33	39	0.85	21.6	25	6	150	32-33	78	64	105	10.9	35
6	PC	39	XT	BK	33	39	1.15	29.2	25	6	150	32-33	99	76	105	14.8	70
7	PC	44	XP	BK	36	47	0.90	22.9	25	4	100	44 Brute®	82	70	105	10.2	70
8	PC	44	XP	N	36	47	0.85	21.6	25	4	100	44 Brute®	82	70	105	9.6	35
9	PC	44	XT	BK	36	47	1.15	29.2	20	5	100	44 Brute®	100	78	105	13.0	70
10	PC	44	XT	N	36	47	1.10	27.9	20	5	100	44 Brute®	100	78	105	12.4	35
11	PC	46	XP	BK	40	46	0.90	22.9	25	4	100	40-45	86	67	105	11.0	70
12	PC	46	XP	N	40	46	0.85	21.6	25	4	100	40-45	86	67	105	10.4	35
13	PC	46	XT	BK	40	46	1.15	29.2	20	5	100	40-45	98	79	72	14.1	70
14	PC	46	XT	N	40	46	1.10	27.9	20	5	100	40-45	98	79	72	13.5	35
15	PC	47	XP	BK	43	47	0.90	22.9	25	4	100	Glutton®	94	70	105	12.1	70
16	PC	47	XP	N	43	47	0.85	21.6	25	4	100	Glutton®	94	70	105	11.5	35
17	PC	47	XT	BK	43	47	1.15	29.2	20	5	100	Glutton®	100	80	72	15.5	70
18	PC	47	XT	N	43	47	1.10	27.9	20	5	100	Glutton®	100	80	72	14.8	35
19	PC	55	XP	BK	41	52	0.90	22.9	25	4	100	55 Brute®	95	71	105	12.8	70
20	PC	55	XT	BK	41	52	1.15	29.2	20	5	100	55 Brute®	100	80	72	16.3	70
21	PC	55	XT	N	41	52	1.10	27.9	20	5	100	55 Brute®	100	79	72	15.6	35
22	PC	58	XP	BK	38	58	0.90	22.9	25	4	100	60	94	70	110	13.2	70
23	PC	58	XP	N	38	58	0.85	21.6	25	4	100	60	94	70	110	12.5	35
24	PC	58	XT	BK	38	58	1.15	29.2	25	4	100	60	99	78	72	16.9	70
25	PC	58	XT	N	38	58	1.10	27.9	25	4	100	60	99	78	72	16.2	35

All items listed are ECOLOGO certified



PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL

UL126

XP Extra Heavy + • XT Extra Tough • N Natural with contact clarity • BK Black
* Targeted percentage

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid

100% EPA Comprehensive Procurement Guideline Compliant

	PRODUCT CODE		COLOR	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/ROLL	ROLLS/CASE	BAGS/CASE	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POSTCONSUMER RECYCLED CONTENT*	
1	PC	SJ	100	BK	28	45	0.90	22.9	25	8	200	SlimJim®	94	66	72	15.1	94
2	PC	SJ	100	N	28	45	0.90	22.9	25	8	200	SlimJim®	94	66	72	15.1	97
3	PC	36	100	BK	30	36	0.90	22.9	20	10	200	20-30	95	81	105	13.0	94
4	PC	36	100	N	30	36	0.90	22.9	20	10	200	20-30	95	81	105	13.0	97
5	PC	36	150	BK	30	36	1.35	34.3	20	10	200	20-30	109	81	56	19.4	94
6	PC	43	100	BK	30	43	0.90	22.9	20	10	200	Slim Jim® w/ handles	95	81	72	15.5	94
7	PC	43	100	N	30	43	0.90	22.9	20	10	200	Slim Jim® w/ handles	95	81	72	15.5	97
8	PC	41	100	BK	32	41	0.90	22.9	25	6	150	32 Brute®	99	63	105	11.8	94
9	PC	41	100	N	32	41	0.90	22.9	25	6	150	32 Brute®	99	63	105	11.8	97
10	PC	41	135	BK	32	41	1.20	30.5	25	6	150	32 Brute®	108	87	72	15.7	94
11	PC	41	135	N	32	41	1.20	30.5	25	6	150	32 Brute®	108	87	72	15.7	97
12	PC	39	100	BK	33	39	0.90	22.9	25	6	150	32-33	95	83	105	11.6	94
13	PC	39	100	N	33	39	0.90	22.9	25	6	150	32-33	95	83	105	11.6	97
14	PC	39	150	BK	33	39	1.35	34.3	25	6	150	32-33	109	81	56	17.4	94
15	PC	39	150	N	33	39	1.35	34.3	25	6	150	32-33	109	81	56	17.4	97
16	PC	39	200	BK	33	39	1.75	44.5	25	6	150	32-33	118	86	42	22.5	94
17	PC	44	100	BK	36	47	0.90	22.9	20	5	100	44 Brute®	104	81	105	10.2	94
18	PC	44	100	N	36	47	0.90	22.9	20	5	100	44 Brute®	104	81	105	10.2	97
19	PC	44	300	BK	36	56	3.00	76.2	30	1	30	Contractor	200	200	98	12.1	94
20	PC	46	100	BK	40	46	0.90	22.9	20	5	100	40-45	109	85	105	11.0	94
21	PC	46	100	N	40	46	0.90	22.9	20	5	100	40-45	109	85	105	11.0	97
22	PC	46	150	BK	40	46	1.35	34.3	25	4	100	40-45	118	83	72	16.6	94
23	PC	46	150	N	40	46	1.35	34.3	25	4	100	40-45	118	83	72	16.6	97
24	PC	46	200	BK	40	46	1.75	44.5	25	4	100	40-45	130	90	56	21.5	94
25	PC	46	200	N	40	46	1.75	44.5	25	4	100	40-45	130	90	56	21.5	97
26	PC	47	100	BK	43	47	0.90	22.9	20	5	100	Glutton®	109	85	105	12.1	94
27	PC	47	100	N	43	47	0.90	22.9	20	5	100	Glutton®	109	85	105	12.1	97
28	PC	47	150	BK	43	47	1.35	34.3	20	5	100	Glutton®	118	93	56	18.2	94
29	PC	47	150	N	43	47	1.35	34.3	20	5	100	Glutton®	118	93	56	18.2	97
30	PC	47	168	BK	43	47	1.50	38.1	25	4	100	Glutton®	119	87	56	20.2	94
31	PC	47	168	N	43	47	1.50	38.1	25	4	100	Glutton®	119	87	56	20.2	97
32	PC	47	200	BK	43	47	1.75	44.5	25	4	100	Glutton®	131	93	56	23.6	94
33	PC	47	200	N	43	47	1.75	44.5	25	4	100	Glutton®	131	93	56	23.6	97
34	PC	58	100	BK	38	58	0.90	22.9	25	4	100	60	109	87	110	13.2	94
35	PC	58	100	N	38	58	0.90	22.9	25	4	100	60	109	87	110	13.2	97
36	PC	58	150	BK	38	58	1.35	34.3	20	5	100	60	118	84	56	19.8	94
37	PC	58	150	N	38	58	1.35	34.3	20	5	100	60	118	84	56	19.8	97
38	PC	58	168	BK	38	58	1.50	38.1	25	4	100	60	119	89	56	22.0	94
39	PC	58	168	N	38	58	1.50	38.1	25	4	100	60	119	89	56	22.0	97
40	PC	58	200	BK	38	58	1.75	44.5	10	10	100	60	131	93	42	25.7	94
41	PC	58	200	N	38	58	1.75	44.5	10	10	100	60	131	93	42	25.7	97

N Natural with contact clarity • BK Black

* Targeted percentage

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid



PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL

UL126


All items listed are ECOLOGO certified

Right Sizing Guide

Optimal liner sizes for the most common capacity cans



100% EPA Comprehensive Procurement Guideline Compliant

		PRODUCT CODE	COLOR	WIDTH	LENGTH	GA (MIL)	BAGS/CASE	STRENGTH	RECOMMENDED USE
	1	PC 07 LW BK	22	25	0.30	1000	L	paper trash; admin general use	
	2	PC 07 LW N	22	25	0.30	1000	L	paper trash; admin general use	
	1	PC 10 LW BK	23	31	0.30	1000	L	paper trash; admin general use	
	2	PC 10 LW N	23	31	0.30	1000	L	paper trash; admin general use	
	3	PC 10 XH BK	23	31	0.45	500	XH	mixed trash w/sharps; outdoor use; X heavy contents	
	4	PC 10 XH N	23	31	0.45	500	XH	mixed trash w/sharps; outdoor use; X heavy contents	
	1	PC SJ HR BK	28	45	0.58	250	H	mixed trash; admin heavy contents	
	2	PC SJ HR N	28	45	0.58	250	H	mixed trash; admin heavy contents	
	3	PC SJ 100 BK	28	45	0.90	200	XH	mixed trash w/sharps; outdoor use; harsh environments	
	4	PC SJ 100 N	28	45	0.90	200	XH	mixed trash w/sharps; outdoor use; harsh environments	
	5	PC 43 HR BK	30	43	0.59	250	H	fits Slim Jim® with handles	
	6	PC 43 HR N	30	43	0.59	250	H	fits Slim Jim® with handles	
	7	PC 43 100 BK	30	43	0.90	200	XH	fits Slim Jim® with handles	
	8	PC 43 100 N	30	43	0.90	200	XH	fits Slim Jim® with handles	
	1	PC 36 LW BK	30	36	0.30	500	L	paper trash; admin general use	
	2	PC 36 LW N	30	36	0.30	500	L	paper trash; admin general use	
	3	PC 36 HR BK	30	36	0.59	250	H	mixed trash; admin heavy contents	
	4	PC 36 HR N	30	36	0.59	250	H	mixed trash; admin heavy contents	
	1	PC 41 100 BK	32	41	0.90	150	XH	mixed trash w/sharps; outdoor use; harsh environments	
	2	PC 41 100 N	32	41	0.90	150	XH	mixed trash w/sharps; outdoor use; harsh environments	
	3	PC 41 135 BK	32	41	1.20	150	XXH	mixed trash w/sharps; outdoor use; extra harsh environments	
	4	PC 41 135 N	32	41	1.20	150	XXH	mixed trash w/sharps; outdoor use; extra harsh environments	
	1	PC 44 MR BK	36	47	0.45	250	M	mixed trash; admin heavy contents	
	2	PC 44 MR N	36	47	0.45	250	M	mixed trash; admin heavy contents	
	3	PC 44 HR BK	36	47	0.59	250	H	mixed trash; admin heavy contents	
	4	PC 44 HR N	36	47	0.59	250	H	mixed trash; admin heavy contents	
	5	PC 44 XH BK	36	47	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents	
	6	PC 44 XH N	36	47	0.70	200	XH	mixed trash w/sharps; outdoor use; X heavy contents	
	1	PC 55 XH BK	41	52	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents	
	2	PC 55 XH N	41	52	0.70	100	XH	mixed trash w/sharps; outdoor use; X heavy contents	
	1	PC 47 HR BK	43	47	0.59	200	H	mixed trash admin heavy contents	
	2	PC 47 HR N	43	47	0.59	200	H	mixed trash admin heavy contents	
	3	PC 47 100 BK	43	47	0.90	100	XH	mixed trash w/sharps; outdoor use; X heavy contents	
	4	PC 47 100 N	43	47	0.90	100	XH	mixed trash w/sharps; outdoor use; X heavy contents	
	1	PC BB XH N	45	50	2.00	50	CG	fits Bigbelly solar compactors; performs in harsh environments & compacting use	

All items listed are ECOLOGO certified

L Light • M Medium • H Heavy • XH Extra heavy • XXH Extra extra heavy
 • CG Compactor grade • N Natural with contact clarity • BK Black
 * Targeted percentage

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid



PRODUCT CERTIFIED FOR REDUCED ENVIRONMENTAL IMPACT. VIEW SPECIFIC ATTRIBUTES EVALUATED: UL.COM/EL

UL126

Colored Bags

Environmentally Preferred
Specialty can liners



100% EPA Comprehensive Procurement Guideline Compliant

	PRODUCT CODE		COLOR	WIDTH	LENGTH	GA (MIL)	GA (MIC)	BAGS/CASE	STRENGTH	GAL CAP	DRY LOAD RATING (LBS)	WET LOAD RATING (LBS)	CASE/PALLET	NET WT/CS (LBS)	POSTCONSUMER RECYCLED CONTENT*	
1	PC	10	XH	BU	23	31	0.45	11.4	500	XH	12-16	45	34	105	10.7	30
2	PC	32	XH	W	24	32	0.75	19.1	250	XH	12-16	64	53	105	9.6	61
3	PC	SJ	XH	BU	28	45	0.70	17.8	250	XH	Slim Jim®	64	53	72	14.7	70
4	PC	SJ	XH	GN	28	45	0.70	17.8	250	XH	Slim Jim®	64	53	72	14.7	70
5	PC	36	XH	W	30	36	0.70	17.8	200	XH	20-30	73	53	105	10.1	70
6	PC	39	XH	W	33	39	0.70	17.8	150	XH	32-33	73	54	105	9.0	70
7	PC	44	XH	GN	36	47	0.70	17.8	200	XH	44 Brute®	73	55	105	15.8	70
8	PC	46	XH	BU	40	46	0.70	17.8	100	XH	40-45	73	55	105	8.6	70
9	PC	46	XH	W	40	46	0.70	17.8	100	XH	40-45	72	56	105	8.6	70
10	PC	47	180	GN	43	47	1.60	40.6	100	SH	Glutton®	117	87	56	21.6	94
11	PC	58	XH	W	38	58	0.70	17.8	100	XH	60	74	56	105	10.3	70

^Other sizes, gauges and colors are available upon request



All items listed are ECOLOGO certified



PRODUCT CERTIFIED FOR
REDUCED ENVIRONMENTAL
IMPACT. VIEW SPECIFIC
ATTRIBUTES EVALUATED:
UL.COM/EL

UL126

LW Light waste • MR Medium refuse • HR Heavy refuse • XH Extra heavy refuse • SH Super Heavy
• BU Blue • GN Green • W White

* Targeted percentage

Brute, Glutton and Slim Jim are registered trademarks of Rubbermaid